






TECHNICAL SPECIFICATIONS			
SYSTEM TYPE*		PUZZLE	
MODEL NO.		DSP2L	
STD CAR DIMS**	LENGTH	17'-1"	(5,200 mm)
	WIDTH***	6'-8"	(2,200 mm)
	HEIGHT	5'-3" (L) 6'-3" (S)	(1,600 mm (L)) (1,900 mm (S))
	WEIGHT	5,300 lbs	(2,400 Kg)
POWER REQUIREMENTS		AC220V / 3 PH / 40 amp	
TRAVERSE MOTOR		0.25 HP	(0.2 Kw)
LIFT MOTOR		5 HP	(3.7 Kw)
NOISE LEVEL		<62 dB	
MAX QUEUE TIME		40 sec	


L = SEDAN / S = SUV
* MODULES AVAILABLE UP TO 10 CARS WIDE
** INDUSTRY STD DIMS. ACCOMMODATES 85% OF CARS IN PRODUCTION
*** DIM WITH SIDE MIRRORS FOLDED




2					PART NAME		PUZZLE						
1					MODEL NO.		DSP2L						
REV		DETAIL OF REVISION		DATE	DESIGNED	APPROVED	PROJECTION	SCALE	DATE	DESIGNED	CHECKED	APPROVED	
THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF PARKMATIC AND SHALL NOT BE GIVEN, COPIED OR REPRODUCED WITHOUT PRIOR WRITTEN CONSENT.		NEW YORK OFFICE , USA 1129 Northern Blvd Suite #400 Manhasset, NY 11030 E: info@parkmatic.com P: +1-800-422-5438 W: parkmatic.com							SR	MW			
						DWG. NO						REVISION	
						P arkmatic							

1/2" Ø HILTI KWIK BOLT 3 EXPANSION
ANCHORS INSTALLED W/ EPOXY-TIE
ADHESIVE TO AN EMBEDMENT DEPTH
OF 3" IN CONCRETE

BASE PLATE
GROUT BY VSS




RAIL R1




3/4" Ø HILTI KWIK BOLT 3 EXPANSION
ANCHORS INSTALLED W/ EPOXY-TIE
ADHESIVE TO AN EMBEDMENT DEPTH
OF 3" IN CONCRETE

BASE PLATE
GROUT BY VSS




COLUMN C1





DETAIL A

2					PART NAME		PUZZLE					
1					MODEL NO.		DSP2L					
REV	DETAIL OF REVISION	DATE	DESIGNED	APPROVED	PROJECTION	SCALE	DATE	DESIGNED	CHECKED	APPROVED		
THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF PARKMATIC AND SHALL NOT BE GIVEN, COPIED OR REPRODUCED WITHOUT PRIOR WRITTEN CONSENT.		NEW YORK OFFICE , USA 1129 Northern Blvd Suite #400 Manhasset, NY 11030 E: info@parkmatic.com P: +1-800-422-5438 W: parkmatic.com							SR	MW		
					DWG. NO						REVISION	
												




TECHNICAL SPECIFICATIONS			
SYSTEM TYPE*		PUZZLE	
MODEL NO.		DSP2LP	
STD CAR DIMS**	LENGTH	17'-1"	(5,200 mm)
	WIDTH***	6'-8"	(2,200 mm)
	HEIGHT	5'-3" (L)	(1,600 mm (L))
		6'-3" (S)	(1,900 mm (S))
	WEIGHT	5,300 lbs	(2,400 Kg)
POWER REQUIREMENTS		AC220V / 3 PH / 40 amp	
TRAVERSE MOTOR		0.25 HP	(0.2 Kw)
LIFT MOTOR		5 HP	(3.7 Kw)
NOISE LEVEL		<62 dB	
MAX QUEUE TIME		40 sec	


L = SEDAN / S = SUV
* MODULES AVAILABLE UP TO 10 CARS WIDE
** INDUSTRY STD DIMS. ACCOMMODATES 85% OF CARS IN PRODUCTION
*** DIM WITH SIDE MIRRORS FOLDED




2					PART NAME	PUZZLE						
1					MODEL NO.	DSP2LP						
REV	DETAIL OF REVISION	DATE	DESIGNED	APPROVED	PROJECTION	SCALE	DATE	DESIGNED	CHECKED	APPROVED		
THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF PARKMATIC AND SHALL NOT BE GIVEN, COPIED OR REPRODUCED WITHOUT PRIOR WRITTEN CONSENT.		NEW YORK OFFICE, USA 1129 Northern Blvd Suite #400 Manhasset, NY 11030 E: info@parkmatic.com P: +1-800-422-5438 W: parkmatic.com						SR	MW			
					DWG. NO						REVISION	
												




COLUMN C1




COLUMN C3



COLUMN C2




DETAIL A




DETAIL B


2					PART NAME	PUZZLE						
1					MODEL NO.	DSP2LP						
REV	DETAIL OF REVISION	DATE	DESIGNED	APPROVED	PROJECTION	SCALE	DATE	DESIGNED	CHECKED	APPROVED		
THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF PARKMATIC AND SHALL NOT BE GIVEN, COPIED OR REPRODUCED WITHOUT PRIOR WRITTEN CONSENT.	NEW YORK OFFICE , USA 1129 Northern Blvd Suite #400 Manhasset, NY 11030 E: info@parkmatic.com P: +1-800-422-5438 W: parkmatic.com							SR	MW			
					DWG. NO						REVISION	
												



PLAN



SECTION 1



SECTION 2


TECHNICAL SPECIFICATIONS			
SYSTEM TYPE*		PUZZLE	
MODEL NO.		DSP3L	
STD CAR DIMS**	LENGTH	17'-1"	(5,200 mm)
	WIDTH***	6'-8"	(2,200 mm)
	HEIGHT	5'-3" (L)	(1,600 mm (L))
		6'-3" (S)	(1,900 mm (S))
	WEIGHT	5,300 lbs	(2,400 Kg)
POWER REQUIREMENTS		AC220V / 3 PH / 40 amp	
TRAVERSE MOTOR		0.25 HP	(0.2 Kw)
LIFT MOTOR		5 HP	(3.7 Kw)
NOISE LEVEL		<62 dB	
MAX QUEUE TIME		60 sec	

L = SEDAN / S = SUV
* MODULES AVAILABLE UP TO 10 CARS WIDE
** INDUSTRY STD DIMS. ACCOMMODATES 85% OF CARS IN PRODUCTION
*** DIM WITH SIDE MIRRORS FOLDED


2					PART NAME	PUZZLE				
1					MODEL NO.	DSP3L				
REV	DETAIL OF REVISION	DATE	DESIGNED	APPROVED	PROJECTION	SCALE	DATE	DESIGNED	CHECKED	APPROVED
THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF PARKMATIC AND SHALL NOT BE GIVEN, COPIED OR REPRODUCED WITHOUT PRIOR WRITTEN CONSENT.		NEW YORK OFFICE, USA 1129 Northern Blvd Suite #400 Manhasset, NY 11030 E: info@parkmatic.com P: +1-800-422-5438 W: parkmatic.com						SR	MW	
					DWG. NO					
										

1/2" Ø HILTI KWIK BOLT 3 EXPANSION
ANCHORS INSTALLED W/ EPOXY-TIE
ADHESIVE TO AN EMBEDMENT DEPTH
OF 3" IN CONCRETE

BASE PLATE
GROUT BY VSS




RAIL R1




7/8" Ø HILTI KWIK BOLT 3 EXPANSION
ANCHORS INSTALLED W/ EPOXY-TIE
ADHESIVE TO AN EMBEDMENT DEPTH
OF 3" IN CONCRETE

BASE PLATE
GROUT BY VSS






COLUMN C1



DETAIL A

2					PART NAME		PUZZLE					
1					MODEL NO.		DSP3L					
REV	DETAIL OF REVISION	DATE	DESIGNED	APPROVED	PROJECTION	SCALE	DATE	DESIGNED	CHECKED	APPROVED		
THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF PARKMATIC AND SHALL NOT BE GIVEN, COPIED OR REPRODUCED WITHOUT PRIOR WRITTEN CONSENT.		NEW YORK OFFICE , USA 1129 Northern Blvd Suite #400 Manhasset, NY 11030 E: info@parkmatic.com P: +1-800-422-5438 W: parkmatic.com							SR	MW		
					DWG. NO					REVISION		
												




TECHNICAL SPECIFICATIONS			
SYSTEM TYPE*		PUZZLE	
MODEL NO.		DSP3LP	
STD CAR DIMS**	LENGTH	17'-1"	(5,200 mm)
	WIDTH***	6'-8"	(2,200 mm)
	HEIGHT	5'-3" (L)	(1,600 mm (L))
		6'-3" (S)	(1,900 mm (S))
	WEIGHT	5,300 lbs	(2,400 Kg)
POWER REQUIREMENTS		AC220V / 3 PH / 40 amp	
TRAVERSE MOTOR		0.25 HP (0.2 Kw)	
LIFT MOTOR		5 HP (3.7 Kw)	
NOISE LEVEL		<62 dB	
MAX QUEUE TIME		40 sec	


L = SEDAN / S = SUV
* MODULES AVAILABLE UP TO 10 CARS WIDE
** INDUSTRY STD DIMS. ACCOMMODATES 85% OF CARS IN PRODUCTION
*** DIM WITH SIDE MIRRORS FOLDED

2					PART NAME	PUZZLE				
1					MODEL NO.	DSP3LP				
REV	DETAIL OF REVISION	DATE	DESIGNED	APPROVED	PROJECTION	SCALE	DATE	DESIGNED	CHECKED	APPROVED
THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF PARKMATIC AND SHALL NOT BE GIVEN, COPIED OR REPRODUCED WITHOUT PRIOR WRITTEN CONSENT.		NEW YORK OFFICE, USA 1129 Northern Blvd Suite #400 Manhasset, NY 11030 E: info@parkmatic.com P: +1-800-422-5438 W: parkmatic.com						SR	MW	
					DWG. NO				REVISION	
										







COLUMN C1




COLUMN C3



COLUMN C2




DETAIL A




DETAIL B


2					PART NAME	PUZZLE						
1					MODEL NO.	DSP3LP						
REV	DETAIL OF REVISION	DATE	DESIGNED	APPROVED	PROJECTION	SCALE	DATE	DESIGNED	CHECKED	APPROVED		
THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF PARKMATIC AND SHALL NOT BE GIVEN, COPIED OR REPRODUCED WITHOUT PRIOR WRITTEN CONSENT.	NEW YORK OFFICE , USA 1129 Northern Blvd Suite #400 Manhasset, NY 11030 E: info@parkmatic.com P: +1-800-422-5438 W: parkmatic.com							SR	MW			
					DWG. NO						REVISION	
					Parkmatic							



PLAN



SECTION 1






SECTION 2


TECHNICAL SPECIFICATIONS			
SYSTEM TYPE*		PUZZLE	
MODEL NO.		DSP4L	
STD CAR DIMS**	LENGTH	17'-1"	(5,200 mm)
	WIDTH***	6'-8"	(2,200 mm)
	HEIGHT	5'-3" (L)	(1,600 mm (L))
		6'-3" (S)	(1,900 mm (S))
		WEIGHT	5,300 lbs (2,400 Kg)
POWER REQUIREMENTS		AC220V / 3 PH / 40 amp	
TRAVERSE MOTOR		0.25 HP	(0.2 Kw)
LIFT MOTOR		5 HP	(3.7 Kw)
NOISE LEVEL		<62 dB	
MAX QUEUE TIME		85 sec	

L = SEDAN / S = SUV
* MODULES AVAILABLE UP TO 10 CARS WIDE
** INDUSTRY STD DIMS. ACCOMMODATES 85% OF CARS IN PRODUCTION
*** DIM WITH SIDE MIRRORS FOLDED


2					PART NAME	PUZZLE				
1					MODEL NO.	DSP4L				
REV	DETAIL OF REVISION	DATE	DESIGNED	APPROVED	PROJECTION	SCALE	DATE	DESIGNED	CHECKED	APPROVED
THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF PARKMATIC AND SHALL NOT BE GIVEN, COPIED OR REPRODUCED WITHOUT PRIOR WRITTEN CONSENT.		NEW YORK OFFICE , USA 1129 Northern Blvd Suite #400 Manhasset, NY 11030 E: info@parkmatic.com P: +1-800-422-5438 W: parkmatic.com						SR	MW	
		DWG. NO							REVISION	
		Parkmatic								




					PART NAME	PUZZLE				
					MODEL NO.	DSP4L				
REV	DETAIL OF REVISION	DATE	DESIGNED	APPROVED	PROJECTION	SCALE	DATE	DESIGNED	CHECKED	APPROVED
THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF PARKMATIC AND SHALL NOT BE GIVEN, COPIED OR REPRODUCED WITHOUT PRIOR WRITTEN CONSENT.		NEW YORK OFFICE , USA 1129 Northern Blvd Suite #400 Manhasset, NY 11030 E: info@parkmatic.com P: +1-800-422-6438 W: parkmatic.com						SR	MW	
					DWG. NO				REVISION	
										




COLUMN C1




COLUMN C3



COLUMN C2



DETAIL A



DETAIL B

2					PART NAME	PUZZLE				
1					MODEL NO.	DSP4LP				
REV	DETAIL OF REVISION	DATE	DESIGNED	APPROVED	PROJECTION	SCALE	DATE	DESIGNED	CHECKED	APPROVED
THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF PARKMATIC AND SHALL NOT BE GIVEN, COPIED OR REPRODUCED WITHOUT PRIOR WRITTEN CONSENT.			NEW YORK OFFICE, USA 1129 Northern Blvd Suite #400 Manhasset, NY 11030 E: info@parkmatic.com P: +1-800-422-5438 W: parkmatic.com					SR	MW	
					DWG. NO				REVISION	